



A-FRAME SYSTEM WITH WINCH AND HPU



GLOBAL
RENEWABLES
SHIPBROKERS



DETAIL 1



DETAIL 2



DETAIL 3

Contact Details:

Alexander Gentsch
Equipment Broker
Gustav Mahler Platz 1
20354 Hamburg

T +49 40/4 11 60 68 12
F +49 40 / 4 11 60 68 99
E a.gentsch@grs-offshore.com
W www.grs-offshore.com

VISIT OUR WEBSITE
FOR MORE TYPES:





A-FRAME SYSTEM WITH WINCH AND HPU



GLOBAL
RENEWABLES
SHIPBROKERS



DETAIL 4



DETAIL 5



DETAIL 6



DETAIL 7



DETAIL 8

Contact Details:

Alexander Gentsch
Equipment Broker
Gustav Mahler Platz 1
20354 Hamburg

T +49 40/4 11 60 68 12
F +49 40 / 4 11 60 68 99
E a.gentsch@grs-offshore.com
W www.grs-offshore.com

VISIT OUR WEBSITE
FOR MORE TYPES:





DETAIL 9



DETAIL 10

CAPACITIES

HPU-Unit

- Remote controlled
- Winch in / out proportional
- HPU start stop
- Control lamps for different functions
- Length counter
- Winch adjustment
- Level winder adjustment
- Tension adjustment

DIMENSIONS

Winch NTD Offshore - 1000-HY –C –AHC, with foundation

- Width 4050mm
- Height 3000mm
- Depth 3000mm

